

PRODUCT-DETAILS

SV/S 30.320.1.1

SV/S30.320.1.1 Power Supply, 320 mA, MDRC



General Information

Extended Product Type	SV/S 30.320.1.1
Product ID	2CDG110166R0011
EAN	4016779906197
Catalog Description	SV/S30.320.1.1 Power Supply, 320 mA, MDRC
Long Description	KNX power supplies 320 mA generate and monitor the KNX system voltage (SELV). The bus line is decoupled from the power supply by an integrated choke. The voltage output is short-circuit and overload protected. The two-color LED indicates device output status. With two-coloured status indicator and wide range input from 85...265 V AC, 50/60 Hz.

Ordering

EAN	4016779906197
Customs Tariff Number	85044090
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405800515
E-Number (Finland)	2815462
E-Number (Sweden)	1738578

Dimensions

Product Net Depth /	64.5 mm
---------------------	---------

Length

Product Net Height	90 mm
Product Net Width	72 mm
Product Net Weight	0.26 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779906197
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Width	93 mm
Package Level 1 Gross Weight	0.3 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-Rail
Width in Number of Modular Spacings	4

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC501067D0201
Declaration of Conformity - CE	2CDK501056D2701
Instructions and Manuals	2CDG941137P0003
RoHS Information	2CDK501056D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC000675 - Power supply for bus system
ETIM 8	EC000675 - Power supply for bus system
eClass	V11.0 : 27143114
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	39121004
IDEA Granular Category Code (IGCC)	4127 >> Power supply units

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Power Supply → KNX Power Supplies

