


PRODUCT-DETAILS

TB/U12.8.1-CG

TB/U12.8.1-CG Control element 12g.



General Information

Extended Product Type	TB/U12.8.1-CG
Product ID	2CKA006300A1544
EAN	4011395230787
Catalog Description	TB/U12.8.1-CG Control element 12g.
Long Description	Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

Ordering

EAN	4011395230787
Customs Tariff Number	85365080
Minimum Order Quantity	1 piece
E-Number (Finland)	2814637
E-Number (Sweden)	1739656

Dimensions

Product Net Weight	168.4 g
--------------------	---------

Container Information

Package Level 1 Units	1 piece
Package Level 1 EAN	4011395230787
Package Level 1 Depth / Length	180 mm
Package Level 1 Height	76 mm
Package Level 1 Width	150 mm
Package Level 1 Gross Weight	0.311 kg

Technical

Ambient Air Temperature	Operation -5 ... +45 °C
Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	Surface Mounted
Number of Buttons	12

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	No document needed
Declaration of Conformity - CE	2CKA100000E2529
Instructions and Manuals	No document needed
RoHS Information	9AKK104295D8727

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Classifications

ETIM 7	EC000672 - Touch sensor for bus system
ETIM 8	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → User Operation - tacteo → 12 fold

